Collection No. 143.

K. H. L. Key

25-31. iii. 1967

Gippsland & Victorian Alps

Collection No. 143 — Gippsland + Victorian Alps

K. H. L. Key
25-31. iii. 1967

25/3

17521 Jindabyne. Took Thredbo road.

528. Wallondibby H.S.

530. E. stellulata + occ. pauciflora to 30ft, Kosciuscola cognatus, Pra oblubris & Phaulacridium vittatum, Cryptobothrus chrysophorus, Tobachytacanna tobipennis. savannah woodland, with grasses dense to 18in. Didymuria on stellulata.

East.

535. Little Thredbo R. Boundary of K. State Park.

540 Alpine Way Terminal (Chairlift) Station. E. Kosciuscola cognatus, Percassa rufifrons, Monistria vinosa, Tetrix collina stellulata + occ. pauciflora to 25ft, with Cassinia spp. + other shrubs to 3ft. Poa australis dense to 9in + a little Themeda australis. Phaul. vittatum. 4220ft.

544 Turned off to Thredbo Village.

545 Thredbo Village

547. Rejoined main road. Kosciuscola tristis, K. usitatus, K. cognatus, Monistria vinosa

551. Dead Horse Gap, 5190 ft. E. pauciflora to 15ft, with dense ground layer of Poa australis, Acaena, etc, + areas of Cassinia sp. +

other shrubs to 2ft. K. trioris very abundant. Monistria on Cassinia.

17554. The Pilot Look-out.

558 Leather Barrel Creek.

563. Snowy Creek. E. stellulata, occ. E. robertsoni to 3 off sav. woodland, ground layer of Themeda australis to 18 in.

Caledia.

570 Yoongal Saddle

597 Khancoban

26/3

621 Corryong depart.

626. Turned off for Nariel

632. Junction with Thongla road

640. Nariel

647. E. robertsoni + E. ovata to 40ft. w bracken, Themeda australis + Poa australis to 18in, occ. forbs, along Corryong Creek.

652 Upper Nariel. E. robertsoni + E.

Gonocaca australasicae, G. opomalöides, Percassa
ummalis to 80ft, w. Acacia dealbata to 7ft
rugifrons, Rhizala modesta, Corysphistes recicola,
& barous shrubs to 2ft, bracken to 2ft, occ.
Phaulacridium vittatum
Poa australis, much leaf litter. Easter.

766. E. pauciflora + E. dalrympleana (or rubida)
Gonidea australasicae, Koscinocola cuneatus,
to 50ft on steep slopes. Shrubs, incl.
Corysphistes recicola, Phaulacridium vittatum,
Daviesia spp. + Veronica perfoliata to 2ft,
Percassa rugifrons,
a little Poa australis + forbs, much leaf
litter.

663 Sassafras Gap, 4240ft.

676. Crossing of tributary of ~~Botta Botta~~ Gibbo R.
DSF
E. dives, E. maculosa, + E. robertsoni to 60ft
Gonidea australasicae, G. opomalöides, Macrotoma
on steep slopes leading down to stream.
australis, Escalna includens, Praschinus uncinatus
A small-phyllode wattle to 10ft occ, w
miscellaneous shrubs to 3ft, Hibbertia sp.
to 1ft, ~~occ~~ patches Poa australis. Corysphistes
recicola (j)

687 E. pauciflora, rubida, robertsoni, dives,
Gonidea australasicae, Praschinus uncinatus
occ. stellulata, ovata, macrorhyncha on
gentle undulations. Themeda australis
& Poa australis fairly dense to 1ft, scattered

Leptospermum sp. to 18in, a few other shrubs to 2ft. Phaul. villatum, Corysphiste muricata (j)

1701. Benambra. Cemetery 0.8 mi E. of town. Prasibulus ulnaris
Probably grassland. Themeda australis to 3ft. dense. No sauna.

703. Benambra depart.

710. Grassland fringed by E. pauciflora Brachyscana lobipennis, Phaulacridium villatum, sav. woodland to 15ft, W. scattered Acacia Kupaca scurra (j)
mollissima (?) to 25ft. Themeda australis + Helichrysum ~~stoechadatum~~ apiculatum, occ. H. semi-papposum. Gastr.

718. Omeo.

27/3

718. Omeo depart.

723. Top of divide ~~(Bowen Mtns.)~~

725. E. pauciflora to 20ft sav. woodld. on Cryptobothrus chrysophorus, Paratettix argillaceus, Kupaca scurra (j), Brachyscana lobipennis,
slope with pale grey soil. Themeda australis to 1ft + Helichrysum apiculatum Austroicetes pusilla
to 9in. ~~Sauna~~. Phaul. villatum

726. ~~Cassitis~~ Commencement of steep

descent through forest.

7730. ~~Tongio West~~ Cassinia

736. The Walnuts

738. Swiffs Creek. Took Tongio road.

744. Tongio

747. Took right fork.

749. Cleared from viminalis & robertsonii to 30ft, w. dense Themeda australis & sparse forbs, occ. bracken. Scurra most numerous around a single Helichrysum semipapposum, but also elsewhere. Gastr., Acrida. (Brachibalus ulmario, Keyacris scurra)

Return.

754. Tongio.

759. Swiffs Creek.

763. Doctors Flat

764. E. melliodora, occ. albens sav. woodl. w Themeda australis somewhat thin. No scurra. One H. semipapposum. Gastr. Acrida (Macrotona australis, Colidia cafativa)

770 Ensay Cemetery. E. albens, occ. melliodora. (Brachibalus ulmario)

Dense Themeda to 2ft, no Helichrysum, practically no forbs. No scurra. Gastr., Macrozona australis, P. mittatum.

1771. Swamp

779. Wattle Circle. E. melliodora to 60ft, Acacia Prasophyllum ulnaris mollissima to 20ft. Themeda rather grasses to 18in., bracken to 18in. No scurra.

783. E. melliodora ~~sa~~ to 50ft. sav. woodl. w Prasophyllum ulnaris Themeda to 18in + occ. Helichrysum semipapposum No scurra. On steep slope adjacent to Tambo R.

785 Tambo Crossing

794. Double Bridges.

798. E. scabra, E. goniocalyx (?)(old sense) to 60ft, Prasophyllum ulnaris ? Phebalium nanum, w. occ. Exocarpus to 15ft, A. dealbata + Cassinia sp. to 7ft, Leptospermum sp. to 4ft + low regrowth, sparse grasses, much leaf litter. On gentle slopes w gravelly pale grey granitic soil.

805. Brothers cemetery. Cleared from ecs.

Prasiabulus ulmaris
Dense Themeda, V. occ. H. semipapposum.
No scuma. Gastr., Acida. P. vittatum.
17806. Brathen
28/3
17823. Bairnsdale. Took Bulumwaal road.
825. Wy-Yung
829. E. scabra + E. polyanthemos to 40ft.,
Prasiabulus ulmaris Phaulleridium vittatum
Acacia mollissima (?) to 30ft, Casuarina sp.
occ to 15ft. Themeda australis to 18in,
scattered leptospermum rather shrubs to
3ft. Grey sandy soil, undulating. No viatica
834 Mt. ~~Wilson~~ Taylor.
838. Bulumwaal. E. scabra, E. goniocalyx
(old), E. polyanthemos dense to 50ft, w
sparse Themeda + rather dense leptospermum
spp. ~~to~~ 1-3ft. Phaul. vitt. No viatica.
Return.
852. Bairnsdale. Took Lindenow road.
855. Turned off to Lindenow.
863. Lindenow. All sparse eamaldulensis
saw. woodld. to here. Took road to Lindenow S.

1865. Road junction

866. Lindenow South. Cemetery. Cleared from E. camaldulensis to 50ft + A. mollissima to 20ft. Dense Themeda with Briza sp. + small patches bracken, Leptospermum sp. + widely scattered Helichrysum sp. + Lomandra sp., all to 18in. Almost flat, pale grey sandy loam. Gastr., Acrida, Heteropt., Phaul. viff., Caledia (f). No miatica. Return to Walpa.

868 Walpa.

874. E. polyanthemos, E. scabra, + E. camaldulensis on gentle rise, w. Themeda + tall Stipa, a few H. semipapposum. Acrida, Phaul. viff. No miatica, no scurra

875. Cross-roads.

878. E. scabra, E. polyanthemos to 50ft, dense, fire-damaged, on rolling hills. Leptospermum sp regrowth fairly dense 1-3ft, with sparse grasses + leaf litter. Phaul viff. No miatica.

1879. Glenaladale.

881. Glenaladale depart for Princes Highway.

885. Cross-roads.

891. Fernbank. E. camaldulensis + E. scabra to 60 ft., w heptospermum sp. to 2ft in dense patches in marsh swampy ground apparently suitable for viatica. No viatica

913. Bairnsdale depart on Princes Highway westward.

936. Meerlieu. Took road to Hollands Landing

943. Hollands Landing. Return.

944. Melaleuca sp. to 8ft, w regrowth to 2ft, Leptospermum + Zoisia to 6 in. on coastal swampy area. No viatica

Gastr. ~~Schizobothrus~~.

950 Intersection. Took road to Bengworden

953. Previous site for viatica. ~~Specimen of~~ The chief eucalypt on this sandy rise is E. bridgesiana (stunted). ~~eucalypts.~~

955. Bengworden

961. Sandy rise with E. scabra, E. bridgesiana,

+occ. Casuarina sp., mainly cleared.
Dense bracken to 18in, ~~some~~ Leptospermum
sp. to 2ft, esp. along lowerlying edges,
some Themeda, No viatica.

1968. Ripon Price's Highway.

972. Baroondale.

29/3

974. Baroondale depart

996. Glenaladale

18001. E. macrorrhyncha, E. bicostata, E. to 60ft
sideroxylon + occ. E. polyanthemos on
undulating, partly stony country w.
Daviella(?) sp. to 2ft + scattered grass. Badly
fire damaged. P. with glaucous-phyllode
Acacia to 2ft. patches of growth of a

909. Gentle slope w pale sandy soil. E.
maculosa, E. dives, occ. E. macrorrhyncha
to 50ft, miscellaneous shrubs to 1ft, occ.
cyperaceae. Patches Daviesia sp. to 2ft.

011. Cobarmah.

021 Hilly valley, mainly cleared from E.

melliodora, E. dives, rocc. E. macrorrhyncha to 60ft w scattered Acacia melanoxylon. Dense Themeda to 2ft. Gash., P. viff.

8028. Waterford.

038. Dargo Cemetery. Cleared from E. melliodora ulmaris, & E. bridgesiana to 40ft on steep slope. Dense Themeda to 18in in pure stand. No scrub. Gash.

046. Spring Hill.

056. Steep slopes with E. delegatensis & E. dalrympliana to 90ft. Acacia dealbata to 20ft. Cleared road verge w. Poa australis, Helichrysum sp., & other forbs.

065. Gently undulating on chocolate soil. E. pauciflora subalpine woodl. to 30ft & w small open glades. Poa australis & forbs. P. viff.

071. Steep slopes w choc. soil. E. pauciflora to 20ft w. miscellaneous shrubs to 9in. Poa australis.

081. Joined Bright-Hotham road.

087. Hotham Heights.
(summit)
Mt. Hotham. Above tree-line. Mixed shrubs almost continuous to 9in., occ. Poa australis tussocks. Steep stony slopes.
(½ mile)
Lower down: Shrubs + Poa with Pomaderris to 15ft.

30/3

090. Hotham Heights depart.

110. Columnara.

111. Undulating country w pale brown soil. E. stellulata + occ. E. rubida to 25ft. with Themeda + other grasses to 18in + occ. patches H. apiculatum + a few plants H. semipappozum. Gastr. P. with. Return to Hotham.

112. Columnara

113. Near top of very steep climb from Columnara (16-mile peg from Omeo). Gentle

slopes with E. pauciflora, E. dives & E. dalrympleana regrowth to 25ft, w. Poa australis to 6in & a few forbs.

118 (18-mile peg). Treeless hollow w. Poa & occ. shrubs, lined by E. stellulata to 20ft.

121 (just beyond 23-mile peg.) Seepage hollow in E. pauciflora, E. dalrympleana to 50ft. Dense shrubs to 3ft, w openings inc. Poa australis. Sphagnum patches. Dark grey soil.

125 Undulating, with E. pauciflora to 15ft, numerous shrubs to 2ft., Poa australis to 1ft. K. hirtis abundant. Between 26- & 27-mile pegs.

129. Undulating, w. E. pauciflora to 15ft (smaller form) & mixed shrubs to 3ft, w open glades of Poa australis & seepage patches w. Sphagnum. ("Slatey Cutting".)

132 Hotham Heights (Hotel)

152. Harrietville

18/54. Harrietville Cemetery. Cleared from E. robertsii, E. dives, + E. rubida to 25ft. on gentle slope with brown soil. Themeda australis dense to 18in, a few forbs, no Helichrysum. No sauva. Gastr., P. nitt., Caledia(j.).

31/3

18/69 Bright depart.

173. Turned off to Tawonga.

182. Tawonga Gap.

184. Tawonga Gap depart.

190. Tawonga.

196. Tawonga cemetery (down main Albury road). No Themeda.

201 Tawonga.

206 Mt. Beauty.

208 Mt. Beauty depart

218. Bogong Village

229. Falls Creek.

231 Rocky Valley Reservoir dam (east end) 5338ft. Rocky slopes leading down to

Monistria viridis, Koscuiscola tristis, K. cisitatus,
reservoir. Treeless E. pauciflora to 7ft, W.
Persoonia rigifrons
dense shrubs 1–3ft, including Prostanthera,
& patches Richea & Poa australis. Monistria
especially on Prostanthera.

234 Langford's Gap.

239. Mt. Cope (½ mile from summit). Treeless
Herbfield of Koscuiscola tristis, K. cisitatus,
valley w/ Poa australis, forbs & nanophytic
Monistria viridis
shrubs to 3in, Richea sp. & mixed shrubs
to 1ft.

243 Pretty Valley.

246 Junction w road to Howman's Gap.

247 Same habitat as 231. K. tristis

248. Intersection

249. Falls Creek.